


Installation Guide for SecurEdge Extender-A & SecurEdge Extender-B

PO BOX 70000, CARLISLE, PA 17013 USA 800-479-6832 WWW.CARLISLESYNTEC.COM

DATE: 9/21/22 | DRN BY: PL | CKD BY: PL | DWG #: 15114-38092 | REV: A






C. Galvanized Anchor Cleat


E. Fascia, Coping, or Extender (Product may vary)






STEP 1: Installing Anchor Cleat

Place the top edge of the anchor cleat level on the wall face and press cleats securely in position and secure through the pre-punched holes using the mechanical fasteners provided. For miter application, fit into corner as required to maintain a continuous anchor cleat line. Then secure at a min. of 6° in each direction from the corner or closer at special conditions. Allow 1/8° gap between sections for thermal movement.




STEP 2: Installing Fascia Miters

Locate fascia miters and joint splice for the appropriate corress. Place a joint splice under each end of the miter sections. Install the miter by hooking the drip of the fascia onto the kick out of the cleat and rotate back until the fascia is flush with the wall face. Fasten through the pre-punched holes using the mechanical fasteners provided.



STEP 3: Installing Fascia End Caps and End Terms Install the fascia by hooking the drip of the fascia onto the kick out of the cleat and rotate back flush with the wall face. Fasten through the pre-punched holes using the mechanical fasteners provided.



STEP 4: Installing Fascia Straight Lengths

Place a concealed joint splice on the opposite end of the installed mitter or end cap. Install the fascia by hooking the drip of the fascia onto the kick out of the cleat and rotate back flush with the wall fasc. Fasten through pre-punched holes using the mechanical fasteners provided. <u>Allow 1/4" gap between fascia sections</u> for <u>thermal expansion</u>. Consider lengths of all straight pieces prior to cutting to avoid creating relatively short sections of fascia adjacent to full length section.

Note: There should be a joint splice at every joint.



Install product above fascia per manufacturer's installation instructions.