


WIND RESISTANT GUTTER QUICKLOCK RADIUS BOX

PROVIDING A RADIUS

THE RADIUS MAY BE PROVIDED IN ONE OF TWO METHODS:


1) THE ACTUAL KNOWN RADIUS IS





OR

2) FIELD CONDITION MEASUREMENTS

NOTE: REFER TO RADIUS WORKSHEET FOR MORE INFORMATION.



NOTE: CHECK MEASUREMENTS ALONG ENTIRE RADIUS
DETAIL A



IMPORTANT!

MUST INDICATE THE PROPER RADIUS CONDITION BY CIRCLING APPROPRIATE OUTSIDE FACE.

DIMENSIONS

SELECT SIZE	A (FACE)	B (BOTTOM)	C (BACK)
<input type="checkbox"/>	5 1/4"	5 1/4"	6 1/4"
<input type="checkbox"/>	5 3/4"	5 3/4"	6 3/4"
<input type="checkbox"/>	6 1/4"	6 1/4"	7 1/4"
<input type="checkbox"/>	6 3/4"	6 3/4"	7 3/4"
<input type="checkbox"/>	7 1/4"	7 1/4"	8 1/4"
<input type="checkbox"/>	7 3/4"	7 3/4"	8 3/4"

MATERIAL

24 Ga. Galv. Steel
22 Ga. Galv. Steel
.040" Aluminum
.050" Aluminum
.063" Aluminum
OTHER: _____

Color: _____

Finish: _____

Substrate:
If substrate is not given, wood fasteners will be provided.

- ☐ Wood
☐ Masonry
☐ Metal

QUANTITIES

_____ Lineal Feet (4'-0" Lengths)

_____ Right Endcap Insert

_____ Left Endcap Insert

NOTES

- Bottom sizes are provided in 1/2" increments
- Maximum downspout dimension not to exceed "B" minus 9/16"
- Pop rivets provided
- Product should be installed per provided installation instructions
- ANSI/SPRI GT-1 Test Pressure up to 223 psf (Horizontal) and 136 psf (Vertical)

APPROVALS



ANSI/SPRI/GT-1

Test Pressures listed in notes

PROJECT INFO

Project Name: _____

Architect: _____

Roofing Contractor: _____

Project Type:

☐ By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All products will be installed in strict accordance with printed instructions.

Date: _____

Hickman Edge Systems

4 Commerce Way
Arden, NC 28704
Phone: 828-676-1700
www.hickmanedgesystems.com

SHT# _____ of _____

DATE: **06/26/24**

DRN BY: **PL / JJC**

CKD BY: **MM**

DWG #: 64012-40810

REV: **B**