




ELEVATE SNAP-ON FASCIA

FULLY ADHERED OR MECHANICALLY ATTACHED SINGLE-PLY VERSION

* NOTES

- Fascia cover provided with splice plates
- 3.5" face height only available in 24 ga. galv steel and .040" aluminum
- Face heights 9.25" and over only available in 22 ga. galv steel or .050" aluminum
- Pre-drill with 3/16" in. drill for masonry conditions
- Product cannot be installed on conditions smaller than 5 ft. radius
- For non-90 miters, see separate print approval
- Product should be installed per provided installation instructions
- ANSI/SPRI/FM 4435/ES-1 Test Pressure up to 381 psf



APPROVALS



ANSI/SPRI/FM 4435/ES-1
Test Pressures listed in notes

PROJECT INFO

Project Name: _____

Architect: _____

Roofing Contractor: _____

Project Type:

By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All products will be installed in strict accordance with printed instructions.

Date: _____

Elevate
26 Century Blvd.
Suite 205
Nashville, TN 37214
Contact your local
Elevate representative.

SHT# _____ of _____

DATE: **05/28/24**

DRN BY: **PL**

CKD BY: **MM**

DWG #: 13010-36890

REV: **D**

DIMENSIONS

PRODUCT ID. NO.	H DIM	X DIM	NAILER COVERAGE
<input type="checkbox"/> TE-350*	3 1/2"	2 3/4"	1 NAILER
<input type="checkbox"/> TE-475	4 3/4"	4"	2 NAILERS
<input type="checkbox"/> TE-625	6 1/4"	5 1/2"	3 NAILERS
<input type="checkbox"/> TE-775	7 3/4"	7"	4 NAILERS
<input type="checkbox"/> TE-925*	9 1/4"	8 1/2"	5 NAILERS
<input type="checkbox"/> TE-1075*	10 3/4"	10"	6 NAILERS
<input type="checkbox"/> TE-1225*	12 1/4"	11 1/2"	7 NAILERS

MATERIAL

- 24 Ga. Galv. Steel
 - 22 Ga. Galv. Steel
 - .040" Aluminum
 - .050" Aluminum
 - OTHER: _____
- Color: _____
Finish: _____
- Substrate:** Wood
 Masonry
 Metal
- If substrate is not given, wood fasteners will be provided.

QUANTITIES

- _____ Straight Lineal Feet (12'-0" Lengths)
- _____ Radius Lineal Feet (4'-0" Lengths)*
- _____ Outside Miter (90°) (Cover Only)
- _____ Inside Miter (90°) (Cover Only)
- _____ Right Endcaps
- _____ Left Endcaps
- _____ Right Endwall Flashing
- _____ Left Endwall Flashing
- _____ Downspout Scupper
- _____ Spillout Scupper