APPROVED

# SECUREDGE ONE FASCIA

SPLICE PLATE VERSION INSTALLATION INSTRUCTIONS

í/2"

POSITION MEMBRANE OVER THE ROOF EDGE AND DOWN THE

(minimum 2 x 4) shall be aligned flush with or extend slightly

Fascia is for use as a perimeter securement on roof designs

OUTSIDE FACE OF THE WALL, OVERLAPPING THE NAILER(S)

IMPORTANT! Outside edge of treated wood nailer(s)

where the product is not installed in a waterline.


**STEP 1 - MEMBRANE** 

past outermost edge of wall.

BY AT LEAST 1/2".

## FOR RADIUS INSTALLATION INSTRUCTIONS SEE PAGE 6 & 7


#### TYPICAL INSTALLATION FOR 12'-0" STRAIGHT COVER



BASE RAIL SHOWN WITH INSIDE FACE UP.

#### STEP 2 - MITER & SCUPPER BASE RAIL (PREPARATION)

LAY THE BASE RAIL ON THE DECK WITH THE OUTSIDE FACE DOWN. IF NECESSARY, CLEAN THE BACK SIDE OF THE BASE RAIL OF DUST OR DIRT. APPLY A HEAVY 3/8" BEAD OF WATER CUT-OFF MASTIC TO THE RIGHT ANGLE INTERSECTION OF THE DECK FLANGE AND BASE RAIL THE ENTIRE LENGTH OF BASE RAIL AS SHOWN. APPLY A SIMILAR 3/8" BEAD OF SEALANT TO THE BOTTOM OF THE FLANGE'S LEFT END, AS YOU LOOK AT THE OUTSIDE FACE OF THE BASE RAIL SECTION.



STEP 3 - RAIL MITER PREPARATION SEE PAGE 5 FOR MITER PREPARATION. FASTEN MITER BASE RAIL TO NAILER(S) THROUGH BASE RAIL SLOTS WITH PROVIDED FASTENERS.



Customer Service DATE: 03/16/22 866-458-3537 (Metal-Era) CKD BY: MM

| SHT.# <u>1</u> | OF |
|----------------|----|
|----------------|----|


DWG# 15110-11433

IC-

7




## SECUREDGE ONE FASCIA FULLY ADHERED OR MECHANICALLY ATTACHED SINGLE-PLY VERSION SPLICE PLATE VERSION INSTALLATION INSTRUCTIONS




**STEP 4 - BASE RAIL INSTALLATION** 

INSTALL 12'-0" SECTION OF BASE RAIL FROM RIGHT TO LEFT AS SEEN FROM ROOF TOP, LAPPING THE PREVIOUS SECTION 1". FASTEN BASE RAIL TO NAILER(S) THROUGH BASE RAIL SLOTS 12" O.C. WITH PROVIDED FASTENERS. FIELD CUT THE BASE RAIL SECTIONS AS NEEDED.



STEP 5 - SPRING CLIPS

PLACE 6" SPRINGS 4'-0" O.C., MAKING SURE THERE WILL BE A SPRING CLIP UNDER EACH FASCIA COVER END.



#### **STEP 6 - MITERS**

PLACE SPLICE PLATE INTO EACH END OF MITER COVER. SIMPLY POSITION THE COVER ABOVE THE RAIL AND WITH PALM OF HAND APPLY SLIGHT PRESSURE DOWNWARD UNTIL ENGAGED TO THE BOTTOM OF BASE RAIL. IF MITERS ARE NOT SUPPLIED, SEE PAGE 6 FOR FABRICATION INSTRUCTIONS.



Customer Service DATE: 03/16/22 866-458-3537 (Metal-Era) CKD BY: MM

SHT.#\_2\_OF\_7


DWG# 15110-11433






## SECUREDGE ONE FASCIA FULLY ADHERED OR MECHANICALLY ATTACHED SINGLE-PLY VERSION

SPLICE PLATE VERSION INSTALLATION INSTRUCTIONS



## STEP 7 - SPLICE PLATES

REMOVE THE PROTECTIVE FILM FROM FASCIA COVERS. FASCIA COVERS SHALL BE INSTALLED FROM LEFT TO RIGHT AS SEEN FROM ROOFTOP. PLACE SPLICE PLATE IN RIGHT END OF COVER. SNAP RIGHT COVER ONTO BASE RAIL BY APPLYING DOWNWARD PRESSURE WITH PALM OF HAND UNTIL THE FASCIA COVER IS FULLY ENGAGED ALONG ENTIRE LENGTH. FIELD CUT COVERS AS REQUIRED WITH FINE TOOTH HACKSAW.



## **STEP 8 - FASCIA COVERS**

POSITION PRE-NOTCHED COVER AND SNAP ONTO BASE RAIL BY PRESSING DOWN WITH THE PALM OF YOUR HAND UNTIL THE COVER IS FULLY ENGAGED ALONG THE ENTIRE LENGTH. ALLOW A 3/8" GAP BETWEEN COVER SECTIONS. FIELD CUT WHERE NECESSARY USING A FINE TOOTH HACKSAW.



Customer Service DATE: 03/16/22 866-458-3537 (Metal-Era) CKD BY: MM


SHT.#<u>3</u>OF<u>7</u>

DWG# 15110-11433



# SECUREDGE ONE FASCIA FULLY ADHERED OR MECHANICALLY ATTACHED SINGLE-PLY VERSION

SPLICE PLATE VERSION INSTALLATION INSTRUCTIONS







 Customer Service
 DATE: 03/16/22
 SHT.#\_4\_OF\_7

 866-458-3537
 DRN BY: MLM
 DWG# 15110-11433

 (Metal-Era)
 CKD BY: MM
 DWG# 15110-11433

G








# SECUREDGE ONE FASCIA FULLY ADHERED OR MECHANICALLY ATTACHED SINGLE-PLY VERSION

RADIUS INSTALLATION INSTRUCTIONS: SPLICE PLATE VERSION



## **STEP 4 - FASCIA COVERS**

POSITION PRE-NOTCHED COVER AND SNAP ONTO BASE RAIL BY PRESSING DOWN WITH THE PALM OF YOUR HAND UNTIL THE COVER IS FULLY ENGAGED ALONG THE ENTIRE LENGTH. ALLOW A 3/8" GAP BETWEEN COVER SECTIONS. FIELD CUT WHERE NECESSARY USING A FINE TOOTH HACKSAW.



| Customer Service | DATE: 03/16/ | /22 | SHT.# 7 |          |
|------------------|--------------|-----|---------|----------|
|                  | DRN BY: ML   |     |         |          |
| (Metal-Era)      | CKD BY: MN   | 1   | DWG#    | 15110-11 |

OF \_7

433